

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



SEED READY FOR IMMEDIATE DELIVERY

JANUARY 9, 1935

RECEIVED

★ MAR 30 1935 ★

U. S. Department of Agriculture

Tested Native Northern New England Tree Seed With Certified Origin Data

PLEASE ORDER BY LOT NUMBER

| SPECIES<br>1934 Crop   | Lot<br>No. | Lbs.<br>on<br>Hand | ORIGIN                   |                        |                   | Purity<br>%                  | + GERMINATIVE ENERGY |                |                 | PRICES     |            |
|--|------------|--------------------|--------------------------|------------------------|-------------------|------------------------------|----------------------|----------------|-----------------|------------|------------|
|  |            |                    | Mean Temp.<br>June-Sept. | Approx. Alt<br>in Feet | Collected<br>From |                              | %                    | In No.<br>Days | Date of<br>Test | Per<br>Lb. | Per<br>Oz. |
| BALSAM FIR<br>(Abies balsamea)<br>(No artificial heat used in<br>extraction) | C          | 700                | 61-62°F.                 | 1000-1200              | N. N. H.          | 95                           | 41                   | 60             | 1-14-35         | \$2.00     | \$ .20     |
| WHITE SPRUCE<br>(Picea canadensis)   | C          | 75                 | 61-62°F.                 | 1000-1200              | N. N. H.          | 99                           | 86                   | 60             | 1-5-35          | 3.00       | .30        |
| RED SPRUCE<br>(Picea rubra)  | C          | 82                 | 61-62°F.                 | 1000-1200              | N. N. H.          | 92.3                         | 52                   | 15             | 1-12-35         | 3.50       | .30        |
| HEMLOCK<br>(Tsuga canadensis)  | C          | 38¼                | 61-62°F.                 | 600-800                | Ce. W. Me.        | 94.1<br>Cutting Test<br>93.1 |                      |                | 1-12-35         | 6.00       | .50        |
| NORWAY SPRUCE<br>(Picea excelsa)   | C          | 7                  | 64-65°F.                 | 0-300                  | S. E. Me.         | *                            |                      |                |                 | 2.00       | .20        |
| WHITE PINE<br>(Pinus strobus)  | C          | 1                  | 61-62°F.                 | 1000-1200              | N. N. H.          | *                            |                      |                |                 | 2.00       | .20        |
| SCOTCH PINE<br>(Pinus sylvestris)  | C          | 6                  | 60-62°F.                 | 800-1000               | N. E. N. H.       | *                            |                      |                |                 | 3.00       | .30        |
| RED PINE<br>(Pinus resinosa)   | C          | 2                  | 62-64°F.                 | 300-500                | Ce. N. H.         | *                            |                      |                |                 | 6.00       | .50        |
| 1933 CROP<br>WHITE PINE<br>(Pinus strobus)                                   | A          | 17                 | 63-64°F.                 | 200-400                | S. Ce. N. H.      | 90                           | 79                   | 60             | 11-29-34        | 1.25       | .10        |
|  | B          | 74                 | 64-65°F.                 | 0-300                  | S. E. Me.         | 94                           | 82                   | 60             | 11-31-34        | 1.25       | .10        |
| 1930 CROP<br>PITCH PINE<br>(Pinus rigida)                                    | 34         | 5                  | 62-64°F.                 | 300-500                | Ce. N. H.         | 98                           | 94                   | 60             | 11-31-34        | 4.00       | .40        |
| RED SPRUCE<br>(Picea rubra)  | 7          | 122                | 58-60°F.                 | 0-100                  | N. E. Me.         | 95                           | 90                   | 60             | 11-31-34        | 2.25       | .20        |
| 1929 CROP<br>RED SPRUCE<br>(Picea rubra)                                     | 8          | 1448               | 60-61°F.                 | 812-1260               | N. E. N. H.       | 96                           | 66                   | 60             | 11-31-34        | 2.25       | .20        |

Prices are F. O. B. Berlin, New Hampshire.

For orders under one-half pound, use ounce price.

All orders are subject to prior sales.

We do not guarantee in any way the productiveness of our seed.

TERMS: CASH, 30 DAYS.

(SPECIAL QUOTATIONS ON ORDERS OVER FIFTY POUNDS.)

\*LEGEND: Test not completed.

+By Jacobsen method

NOTE: N. N. H. Northern New Hampshire. N. E. N. H. Northeastern New Hampshire.  
Ce. N. H. Central New Hampshire. S. Ce. Me. South Central Maine.  
Ce. W. N. H. Central Western New Hampshire. N. E. Me. Northeastern Maine.  
S. E. Me. Southeastern Maine. Ce. W. Me. Central Western Maine

BROWN COMPANY

SEED EXTRACTING PLANT

BERLIN, N. H., U. S. A.

